

WHAT'S INSIDE

AMPED FOR **HIGH VISIBILITY**

3 SEASON JACKET	05
SWEATSHIRTS	07
T-SHIRTS	09
OUTERWEAR	13
RAINWEAR	21
ANSI CLASS 2 VESTS	25
SELF EXTINGUISHING	39
PUBLIC SAFETY VESTS	41
ANSI CLASS 3 VESTS	43
NON-ANSI VESTS	45
ANSI CLASS E PANTS	46
ACCESSORIES	46

CONQUER THE ELEMENTS

YOUR GUIDE TO COOL	48
COOLING BANDANAS	49
COOLING GAITER	49
COOLING WRAPS & TOWELS	50
COOLING SKULL CAPS	50
HARD HAT COOLING SHADES & PADS	51
TERRY TOPPERS®	52
SWEATBANDS	52
HARD HAT SHADES	53
EVAPORATIVE COOLING HATS & CAPS	54
SHADE HATS & BALL CAPS	55
TUFF NOUGIES® WELDERS CAPS	56
COOLING VESTS	57
BALACLAVAS	60
WINTER BEANIES	62
WINTER LINERS	63
HEAT PAX® WARMING PACKETS	65

ARMED FOR THE TASK

GLOVES	68
KNEE PADS	73
BACK SUPPORTS	77
ERGONOMICS	79
GEAR BAGS	80
HEAD PROTECTION	81

BUILT FLAME RESISTANT

HIGH VISIBILITY VESTS DUAL CERTIFIED RAINWEAR COTTON RICH FR® ARC FLASH GARMENTS COLD STRESS HEAT STRESS	84 85 87 88 89 91
LOGO VENDING CUSTOM SIZE CHARTS INDEX	95 97 98 100 101

PRODUCT ICONS



TYPE R CLASS 3



ANSI 107 TYPE R CLASS 2



ANSI 107 TYPE P CLASS 2



ANSI 107 CLASS E



CSA Z96-15 COMPLIANT



NUMBER OF **POCKETS**



PRODUCT CAN BE LOGO'D




RETAIL READY **PACKAGING**





WATERPROOF



PROP 65 WARNING PROP 65 FOR MORE INFO GO TO P65WARNINGS.CA.GOV







SEASON JACKET

MADE FOR VERSATILITY





M6



WARMTH



WEATHER





DURABILITY



DIRT



IS MADE FOR





MOVEMENT







LUX-M6JKT • Water Resistant & Breathable Polyester Soft Shell Material • 2" Reflective Material • Zipper Closure Waffle Fleece Lining • Adjustable Wrist Pull Tabs & Waterproof Zippers/Pockets • 600D Polyester Oxford Reinforced Arm Patches • Drop Tail Hem and Adjustable Drawstring Waist Cord • Black Trim (made to hide dirt)

- Pockets and D-Ring (made for utility)
 - 1 Front chest pocket with waterproof zipper
 - 2 Lower front pockets
 - 1 Inside zipper chest pocket with media portal
 - 2 Lower inside mesh pockets, 1 with pen/pencil
 - D-Ring for ID, Tools, Keys, ETC
- 25 Washes
- Sizes: S-5X











HIGH-VISIBILITY SWEATSHIRTS

6 OZ SWEATSHIRTS - CLASS 2





• Sizing: S-5X

• Pullover Hoodie with drawstring &

adjustable stoppers

R2 1 GO

- Crew Neck
- 25 Washes
- Sizing: S-5X







we have the right gear for your winter.

9 OZ SWEATSHIRTS - CLASS 3








3M Scotchlite



HIGH-VISIBILITY T-SHIRTS



BLACK BOTTOM

LUX-SSETPBK (Short Sleeve - Class 2) LUX-LSETPBK (Long Sleeve - Class 3)

- 3.8 oz Wicking Polyester Birdseye
- 2" Reflective Tape
- Chest Pocket
- Up to UPF 30 Protection
- 25 Washes
- Sizing: S-5X





R3 R2 1 G













5.3 OZ WICKING POLYESTER







6 OZ. 100% PRE-SHRUNK COTTON







3.8 OZ WICKING BIRDSEYE

Wicks sweat away - keeps you dry & comfortable. Wicking birdseye is lightweight, soft, absorbent and launders well.





















3-IN-1 RIP-STOP PARKA

WITH REMOVABLE WEARABLE FLANNEL JACKET





SP-RSPARKA

- Wears 3 Ways
- 300 Denier Polyester Oxford Rip Stop with PU Coating waterproof
- Removable Wearable Quilt Lined Flannel Jacket with Reflective Accents and adjustable hem cinch-cord
- Drop Tail Hem both outer and inner jackets
- DuPont[™] Sorona® Insulation
- 2" Reflective Tape
- Zipper & Snap Closures with Storm Flap
- Bi-Swing Back with Articulated Elbow for ease of movement
- Inside Waist Drawstring
- Removable Quilt Lined Flannel Hood with Adjustable Stoppers
- Hook & Loop Adjustable Sleeve Tabs
- 2 Mic Tabs
- ASTM F2732 Temperature Rating: -8° 44°F

- Outer Jacket Pockets:
- 2 Lower with flap
- 2 Lower with zipper
- 1 Right Chest with detachable ID badge
- 1 Waterproof Left Chest with zipper closure and inside
- D-Ring with durable strap
- 1 Vertical Left sleeve with zipper
- 1 Hidden Access Internal Chest with zipper accommodates a tablet
- 1 Inner Left Chest with Hook & Loop
- Inner Jacket Pockets:
- 2 Outer Lower Front
- 1 Outer Left Chest with Pen/Tool
- 1 Inner Left Chest with Hook & Loop
- 25 Washes
- Sizing: S-5X













WATER VAPOR TRANSMISSION

ASTM E96 are a series of tests to obtain reliable values of water vapor transfer through permeable and semi-permeable materials.

VIRAL PENETRATION

ASTM F1671 is a test method used to measure resistance of materials used in protective clothing to penetration by blood-borne pathogens such as Hepatitis B and C as well as Human Immunodeficency Viruses.



PARKA JACKETS

Need more coverage when mother nature calls - cover up with an OccuNomix Parka.





- Reflective Material

 Quilted Polyester Lining
- Zipper Closure with Storm Flap
- Side snaps; side opening for
- ар
- Pockets: 1 left chest, 2 lower front

The thermometer below shows the ANSI tested, ASTM F2732, temperature

range for garments. Whether you are standing out in the

elements in between tasks or hard at work, we have the right gear for your winter

- 25 WashesSizing: S-5X
- 3M Scotchlite

MORE ACTIVE

LESS ACTIVE

32°

0°
32°

TEMPERATURE RANGE

50°F

32° F = FREEZING POINT

2-IN-1 D-RING BARKATM

WITH REMOVABLE FLEECE LINING & QUILTED SLEEVES





LUX-RSDJKT

- Wears 2 Ways
- Our one of a kind Barka™ Jacket has the length of a bomber and the coverage of a Parka!
- 300 Denier Polyester Oxford Rip Stop with PU Coating waterproof with sealed seams
- Inside adjustable Hem cinch-cord
- Removable Fleece Liner with Quilted Sleeves easy on, easy off!
- Drop tail hem
- DuPont™ Sorona® Insulation
- 2" Reflective Tape
- Zipper and Snap Closures with Storm Flap
- D-Ring Access with zipper for fall protection
- Inside Waist Drawstring
- Removable Fleece Lined Hood with Adjustable Stoppers

- Hook & Loop Adjustable Sleeve Tabs
- ASTM F2732 Temperature Rating: -4° 46°F
- Outer Jacket Pockets:
 - 2 Lower with zipper
 - 1 Right Chest flap with hook & loop closure and hideaway ID badge
 - 1 Waterproof Left Chest with zipper closure and inside D-Ring with durable strap
 - 1 Split Left arm pen/tool
- 1 Inner Left Chest with hook & loop
- Inner Jacket Pockets:
- 1 Inner Right Chest with zipper
- 25 Washes
- Sizing: S-5X















WATER VAPOR TRANSMISSION

ASTM E96 are a series of tests to obtain reliable values of water vapor transfer through permeable and semi-permeable materials.


VIRAL PENETRATION

ASTM F1671 is a test method used to measure resistance of materials used in protective clothing to penetration by blood-borne pathogens such as Hepatitis B and C as well as Human Immunodeficency Viruses.



FLEECE LINED BOMBER JACKETS

Keep warm in OccuNomix classic comfort bomber jackets.





LUX-ETJBJ

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" Reflective Tape
- Zipper Closure
- Roll-away Hood
- R3 4 30 GB





LUX-ETJBJR (Black Bottom)

- 300 Denier Polyester Oxford with PU Removable Lining Coating - waterproof w/sealed seams • 2 Mic Tabs • 25 Washes
- 2" Reflective Tape Zipper Closure
- Roll-away Hood
- Pockets: 2 lower front, 1 left chest. 1 Inner left, sleeve pocket with 2 compartments









• Sizing: M-5X



4-IN-1 FLEECE LINED BOMBERS

Wear as a Jacket, with or without liner. Fleece Separately, or Class 2 vest



LUX-TJBJ

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" 3M™ Scotchlite™ Reflective Material
- Zipper Closure w/Storm Flap • Roll-away Removable Hood
- Removable Lining
- Outer jacket sleeves are removable
- Pockets: 2 outer, lower, 1 left chest flap & 1 inner left
- 25 Washes
- Sizing: S-5X
- 3M Scotchlite



• Pockets: 1 left chest

1 inner left chest

• 25 Washes

• Sizing: S-5X

radio, 2 lower front,

LUX-TJBJ2 (Two-Tone)

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" 3M™ Scotchlite™ Reflective Material
- Zipper Closure w/Storm Flap
- Roll-away Removable Hood
- Removable Lining
- Outer jacket sleeves
- are removable • Pockets: 2 outer, lower, 1 left chest flap & 1 inner left
- 25 Washes • Sizing: S-5X

3M Scotchlite



LUX-TJBJ-B (Black Bottom)

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" 3M™ Scotchlite™ Reflective Material
- Zipper Closure w/Storm Flap
- Roll-away Removable Hood
- Removable Lining
- Outer jacket sleeves are removable
- Pockets: 2 outer, lower, 1 left chest flap & 1 inner left
- 25 Washes
- Sizing: S-5X









3M Scotchlite



QUILTED BOMBER JACKETS

Easy on, easy off - increased warmth with quilted lining.



LUX-250-JB

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" Reflective Tape
- Zipper Closure w/ Inside Storm Flap













- 2 Front Pockets
- 25 Washes
- Sizing: S-5X



LUX-350-JB

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" Reflective Tape

with sealed seams

• Zip-out Quilted Liner

• 1 Mic Tab

• 2" Reflective w/contrasting trim

• 1 Mic Tab

- Zip-out Quilted Liner
- Zipper Closure w/Inside Storm Flap
- Roll-away Hood
- 25 Washes
- Sizing: S-5X













• CSA Z96-15 Compliant

• 25 Washes

• Sizing: S-5X

LUX-350-JB2

- 300 Denier Polyester Oxford with PU Coating - waterproof with sealed seams
- 2" Reflective w/contrasting trim
- 1 Mic Tab















• Zipper Closure w/ Inside Storm Flap

• Zip-out Quilted Liner

• Roll-away Hood

• 25 Washes

• Sizing: S-5X

SAFETY PERFORMANCE WORKWEAR



SP-CVL

- Polyester 300 Denier heavy duty water repellent Oxford with laminated membrane and sealed seams
- 2" 3M™ Scotchlite™ Reflective Material Quilt lined with 3M[™] Thinsulate[™]
- Insulation • Storm Flap w/durable YKK® 2-way zipper
- Detachable, peaked hood lined with
- 3M™ Thinsulate™ Insulation with adjustable hook & loop and D-ring tab
- Underarm Vents
- Elastic waist ribbing w/ storm flap
- Adjustable hook & loop sleeve cuffs with rib knit sleeve band inside
- Internal Knee Pad Pockets

- Storm Flap side with 2-way waterproof leg zippers for full access from hip to boot
- Internal gripper elastic leg gaiters
- Adjustable hook & loop tab at leg opening
- Pockets: 2 front side, 2 front chest with waterproof zippers and D Ring, 2 back Hook & Loop/zipper closure, 1 inner phone pocket w/ zip, 1 inner with flap cover/Zipper and snap closure
- 25 Washes
- Sizing: M-4X





- Polyester 300 Denier heavy duty water repellent Oxford with laminated membrane and sealed seams
- 2" 3M™ Scotchlite™ Reflective Material Quilt lined with 3M[™] Thinsulate[™]
- Insulation • Elastic Adjustable Suspenders with Release Buckle
- Large chest pocket w/hook & loop closure
- Elastic Waistband in back with durable
- YYK® Zipper Fly
 Storm Flap w/durable YYK® Leg Zippers
- Pockets: 2 front side, 1 large chest flapped Hook & Loop closure, 1 flapped side deep cargo, 1 side deep cargo with phone pocket, 2 back Hook & Loop/zipper closure
- · Class 3 when paired with ANSI shirt, vest or jacket
- 25 Washes
- Sizing: M-4X













WATER VAPOR TRANSMISSION

ASTM E96 are a series of tests to obtain reliable values of water vapor transfer through permeable and semi-permeable materials.

VIRAL PENETRATION

ASTM F1671 is a test method used to measure resistance of materials used in protective clothing to penetration by blood-borne pathogens such as Hepatitis B and C as well as Human Immunodeficency Viruses.



EXTREME WORKWEAR



LUX-WCVL

- 300 Denier Polyester Oxford with PU Coating waterproof with sealed seams
- 2" Reflective Tape
- Quilted Thermal Insulation
- Detachable, Insulated Peaked Hood
- Storm Flap with 2-Way Zipper
- Underarm Vents
- Black knee patches to hide dirt
- Waterproof side zippers with storm flap for boot access
- Internal Knee Pad Pockets (Fits SP-KP)
- Elastic Snow Lock Leg Cuff
- Elastic waist with back storm flap
- 25 Washes
- Sizing: M-5X









GARMENT TEMPERATURE RANGE MORE ACTIVE LESS ACTIVE **50**°F 32° F = FREEZING POINT

shows the ANSI tested, ASTM F2732, temperature range for garments. Whether you are standing out in the elements in between tasks or hard at work, we have the right gear for your winter



EXTREME RAIN GEAR

Protection against the elements & the environment. The SP-BRJ and SP-BRP are compliant with Viral Penetration ASTM Method F1671 as well as Water Vapor Transmission ASTM E96 Compliant



WATER VAPOR TRANSMISSION

ASTM E96 are a series of tests to obtain reliable values of water vapor transfer through permeable and semi-permeable materials.

VIRAL PENETRATION

ASTM F1671 is a test method used to measure resistance of materials used in protective clothing to penetration by blood-borne pathogens such as Hepatitis B and C as well as Human Immunodeficency Viruses.





- Oxford with laminated membrane & sealed seams
- 2" 3M™ Scotchlite™ Reflective Material
- Removable Roll-Away Hood
- Waterproof zipper with inside storm flap
- Hook & Loop Adjustable Tab Closures
- Cinch-cord hem

- 2 Lower Font with waterproof zippers
- 1 Sleeve with waterproof zipper
- 25 Washes
- Sizing: S-5X



SP-BRP

- Polyester 300 Denier heavy duty, water repellent Oxford with laminated membrane & sealed seams
- 2" 3M™ Scotchlite™ Reflective Material
- Full length 2-way waterproof zippers with inside storm flaps offer full access from waist to ankle
- Detachable black suspenders with hi-viz crosspatch in back
- Articulated knee to provide increased comfort & mobility
 Waterproof zip fly front and elastic in back waist
- Hook & Loop Adjustable tab at Ankle
- Pockets: 2 Front, 1 Back with waterproof zippers
- Class 3 when paired with ANSI shirt, vest or jacket
- 25 Washes
- Sizing: M-5X





















CLASSIC RAIN GEAR



LUX-TRJKT

- 150 Denier Polyester Oxford with PU coating breathable, waterproof with sealed seams
- 2" Reflective Tape
- Detachable snap hood with draw cord
- Front zipper closures with storm flap
- Vented cape back for added breathability
- Wrist cuffs with snaps
- Pockets: 2 lower front with flaps
- 25 Washes
- Sizing: S-5X









LUX-TRPNT

- 150 Denier Polyester Oxford with PU coating breathable, waterproof with sealed seams
- 2" Reflective Tape
- Elastic waist
- Adjustable snap leg opening
- Class 3 when paired with ANSI shirt, vest or jacket
- Pockets: 2 pass-through
- 25 Washes
- Sizing: M-5X









LUX-TRBIB

- 150 Denier Polyester Oxford with PU coating breathable, waterproof with sealed seams
- 2" Reflective Tape
- Partial elastic suspenders with release buckle
- Adjustable waist and leg cuffs with snaps
- Functional snap fly for easy access
- Class 3 when paired with ANSI shirt, vest or jacket
- Pockets: 2 pass-through
- 25 Washes
- Sizing: M-5X









PREMIUM RAIN GEAR



LUX-TJR

LUX-TJRE (Extended Length - Yellow Only)

- 150 Denier Polyester Oxford with PU coating breathable, waterproof with sealed seams
 • 2" 3M™ Scotchlite™ Reflective Material
- Zip roll-away Hood
- Pockets: 2 Outer Lower
- 25 Washes
- Sizing: S-5X















LUX-TENR

- 150 Denier Polyester Oxford with PU coating breathable, waterproof with sealed seams
- 2" 3M™ Scotchlite™ Reflective Material
- Adjustable snap leg opening
 Pockets: 2 pass-through
- Class 3 when paired with ANSI shirt, vest or jacket
- 25 Washes
- Sizing: S-5X









3M Scotchlite



LUX-TENBIB

- 150 Denier Polyester Oxford with PU coating breathable, waterproof with sealed seams
 • 2" 3M™ Scotchlite™ Reflective Material
- Elastic suspenders w/release buckle & adjustable leg cuff with straps
- Navy Nylon heavy duty reinforced knee (foam insert)
- Class 3 when paired with ANSI shirt, vest or jacket
- Pockets: 2 pass-through, 1 chest w/snaps & 1pen
- 25 Washes
- Sizing: S-5X









HIGH-VISIBILITY CLASS 2 VESTS

ONE SIZE DOES NOT FIT ALL

We entered the high visibility segment right as the ANSI/ISEA 107 High-Visibility Standard was established in 1999. Early on, workers were scrambling to simply find a vest that complied with the new standards. Today, preferences and applications are as varied as the choices in a toy store. That is why we have four different vest lines that each offer Class 2, Class 3 andother specialty options, like gloss tape or break-away styles. From the basic quality of our ECO series all the way up to 3M[™] Scotchlite[™] Reflective Material in our premium LUX series, you know what you need and we've got it.

HEAVY DUTY SURVEYOR

FOR ROAD CONSTRUCTION





LUX-HDS2T (Class 2) LUX-HDS2T3 (Class 3 - Page 43)

- Polyester Solid Front & Mesh Back w-300 Denier Oxford Pockets for Durability
- 2" Reflective Tape with Contrast Band
- Reflective Armholes for Added Visibility
- Durable Webbing around Neck & Hem
- 4 Grommets Tethering & Flagging Tape, Dirt & Rain Removal, Tool Keepers & Lanyards
- 2 Mic Tabs
- Zipper Closure

- 8 Pockets (includes 4 pen/tool pockets)
 - 1 Expandable Radio Flap Pocket
- 1 Split Multi Pen/Tool Pocket
- 3 Lower Front Pockets (2 flap / 1 open)
- 2 Lower Inside (load bearing & tablet)
- 1 Map Pocket with Zipper Access
- 25 Washes
- Sizing: S-5X









HEAVY DUTY SURVEYOR

FOR BUILDING CONSTRUCTION



LUX-HDSBK

- Polyester Solid Front & Mesh Back w-Denier Oxford Pockets
- 2" Reflective Tape
- Fall Protection D-Ring Pass Through
- Protective Padded Shoulders
- Removable Fastener Magnetic Plate
- D-Ring at Upper Chest
- 4 Grommets Tethering, Dirt & Rain Removal, Tool Keepers & Lanyards
- 2 Mic Tabs













- Zipper Closure
- 8 Pockets (includes 4 pen/tool pockets)
 - 2 Right Chest Pockets ID Badge and Radio Flap
 - 1 Split Multi Pen/Tool Pocket
 - 3 Lower Front Pockets (2 flap with Hook & Loop closure / 1 open)
 - 2 Lower Inside (load bearing & tablet)
- 25 Washes
- Sizing: S-5X

BLACK BOTTOM SURVEYOR

FOR WHAT YOU NEED ON THE JOB



LUX-LTGCSBK

- Polyester Mesh
- 2" Reflective Tape
- Fall Protection D-Ring Pass Through
- D-Ring at Upper Chest
- 2 Grommets Tethering, Dirt & Rain Removal, Tool Keepers & Lanyards
- Mic Tab
- Zipper Closure

- 7 Pockets (includes 4 pen/pencil pockets)
- 1 Clear ID / Radio Flap Pocket
- 1 Split Multi Pen/Tool Pocket
- 2 Lower Front Pockets with Hook & Loop Closures
- 2 Lower Inside Pockets with Hook & Loop Closures
- 1 Lower Inside Flashlight Pocket
- 25 Washes
- Sizing: S-5X











SURVEYOR VESTS





LUX-ATRANS (Solid) LUX-ATRNSM (Solid Front/Mesh Back)

- Polyester Mesh and/or Tricot
- 2" Reflective Tape
- Zipper Closure
- Large arm opening for ease over outwear
- Inner Pockets: 2 Lower
- Outer Pockets: 2 Lower Flapped, 1
- Divided and 4 Pen Compartments
- 25 Washes
- Sizing: S-5X





- Polyester Mesh
- 2"Reflective Tape
- Zipper Closure • 2 Mic Tabs
- CSA Z96-15 Compliant
- Inner Pockets: 2 Lower and 1 Flashlight
- Outer Pockets: Double Left Chest Pocket with 4 Pencil, 1 Right Chest Radio Pocket, 2 Lower Front
- 25 Washes
- Sizing: S-5X



















LUX-SSFS

- Polyester Tricot
- 2" 3M™ Scotchlite™ Reflective Material
- Zipper Closure
- Inner Pockets: 1 Left divided w/1 Pen, 1 Lower
 Outer Pockets: 4 Pen Right Chest, Double
- Left Chest w/4 Pen Compartments
- 25 Washes
- Sizing: S-5X

















LUX-SSGCS

- Polyester Mesh
- 2"Reflective Tape
- Zipper Closure
- Inner Pockets: 2 Lower, 1 Pen
 Outer Pockets: 1 Right Chest w/4 Pen Compartments, 1 Left Double w/ 4 Pen Compartments
- 25 Washes
- Sizing: S/M-4X/5X













- Polyester Tricot
- 2" Reflective Tape
- Zipper Closure
- Inner Pockets: 2 Lower, 1 Pen
 Outer Pockets: 1 Right Chest w/4 Pen Compartments, 1 Left Double w/ 4 Pen Compartments
- 25 Washes
- Sizing: S/M-4X/5X











CLASSIC VESTS



LUX-SSGZ (Solid) LUX-SSGZC (Mesh)

- Polyester Tricot or Mesh
- 2" 3M™ Scotchlite™ Reflective Material
- Zipper Closure
- 25 Washes
- Sizing: S-5X













LUX-SSGC

- Polyester Mesh
- 2" Reflective Tape
- Hook & Loop Closure
- Pockets: 1 Left Inner Chest
- 25 Washes
- Sizing: S/M-4X/5X















LUX-SSG

- Polyester Tricot
- 2" Reflective Tape
- Hook & Loop Closure
- 25 Washes
- Sizing: S-5X













LUX-SSFULLG (Solid - Yel Only) LUX-SSCOOLG (Mesh)

- Polyester Tricot or Mesh
- 2" 3M™ Scotchlite™ Reflective Material
- Hook & Loop Closure
- 25 Washes
- Sizing: S-5X















LUX-SSFULLZ

- Polyester Tricot
- 2" 3M™ Scotchlite™ Reflective Material
- Dielectric, Non-conductive Zipper
- 3 Mic Tabs for Radio Handset
- Grommet Holes for Badge Pin • Pockets: 1 Double Right Chest w/ID, 1 Left Chest
- 25 Washes
- Sizing: S-5X











3M Scotchlite



LUX-GCZTAB

- Polyester Mesh
- 2" Reflective Tape
- Metal Zipper Closure
- 2 Mic Tabs
- Pockets: 1 Inside Access Left Chest ID, 1 Right Inner Chest, 1 Inner Pen, 1 Left Inner Lower Tablet
- 25 Washes
- Sizing: S-5X













ECO-ISZ (Solid) ECO-IMZ (Mesh)

- Polyester Mesh or Tricot Fabric
- 2" Reflective Tape
- Zipper Closure
- Pockets: 1 Left Chest, 1 Inner Lower
- 25 Washes
- Sizing: S-5X













ECO-IS (Solid) ECO-IM (Mesh)

- Polyester Mesh or Tricot Fabric
- 2" Reflective Tape
- Hook & Loop Closure
- Pockets: 1 Left Chest, 1 Inner Lower
- 25 Washes
- Sizing: S-5X















ECO-G

- Polyester Tricot
- 2" Reflective Tape
- Hook & Loop Closure
- 25 Washes
- Sizing: S/M-4X/5X





ECO-GC

- Polyester Mesh
- 2" Reflective Tape
- Hook & Loop Closure
- Pockets: 1 Inner Left Chest
- 25 Washes
- Sizing: S/M-4X/5X













ECO-GCZ

• 25 Washes

• Sizing: S-5X

ANSI SAZZE 2 GG 🗶

- Polyester Mesh
- 2" Reflective Tape
- Zipper Closure
- Pockets: 1 Inner Left Chest
- 25 Washes
- Sizing: S/M-4X/5X



ALL NEW TWO TONE

WHEN YOU NEED MORE THAN ONE POCKET





ECO-IMZ3P2T

- Polyester Mesh
- 2" Reflective Tape with contrasting trim
- Zipper Closure
- 25 Washes











- 3 Pockets
 - 1 Outer Left Chest Expandable with Flap
- 1 Inner Lower Right
- 1 Inner Lower Flashlight
- Sizing: S-5X

TWO-TONE VESTS



ECO-GC2T

- Polyester Mesh
- 2" Reflective Tape with contrasting trim
- Hook & Loop Closure
- Pockets: 1 Left Inner Chest
- 25 Washes
- Sizing: S/M-4X/5X















ECO-IM2TZ

- Polyester Mesh
- 2" Silver Reflective Tape with contrasting trim
- Zipper Closure
- Pockets: 1 Left Chest Pocket & 1 Inner Lower
- 25 Washes
- Sizing: S-5X













LUX-SSCLC2Z

- Polyester Mesh
- 2" Reflective tape with contrasting trim
- Zipper Closure
- Pockets: 1 Left Inner Chest & 1 Outer Lower
- 25 Washes
- Sizing: S-5X













LUX-SSCOOL2

- Polyester Mesh
- 2" 3M™ Scotchlite™ Reflective w/ contrasting trim
- Hook & Loop Closure
- Pockets: 1 Left Inner Chest & 1 Outer Lower
- 25 Washes
- Sizing: S-5X













LUX-SSG2T

- Polyester Tricot
- 2" 3M™ Scotchlite™ Reflective w/ contrasting trim
- Hook & Loop Closure
- Pockets: 1 Left Inner Chest & 1 Outer Lower
- 25 Washes
- Sizing: S-5X











CLEAN BREAK-AWAY

BLACK BOTTOM HIDES DIRT





LUX-GCBBK

- Polyester Mesh with Black Tricot Lower Front to Hide Dirt
- 2" Reflective Tape
- Reflective Binding for Added Visibility
- 5-PT. Break-away with quick release zipper
- Pockets:
- 1 Left Chest with Hook & Loop Closure
- 1 Inner Lower Left
- 25 Washes
- Sizing: S-5X











BREAK-AWAY VESTS

Where catch hazards exist, be confident in all our 5-PT. BREAK-AWAY vest solutions. Do not get caught or snagged, get out quickly.









STAY CLEAN, BE SEEN

DOR - DURABLE OMNI REPELLENT

Highly repellent polymer coating for fabric durability

DOR FABRIC RESISTANT TO











LUX-PS-DOR

- Polyester Mesh
- 2" Reflective Tape
- Quick Release Zipper
- 2 Mic Tabs
- Adjustable Waist
- 25 Washes
- Sizing: Reg (M-XL), XL (2X-4X)













2015 EverShield is a trademark of UltraTech International Inc.

EXPANDABLE & BREAK-AWAY VESTS



LUX-SC2TB

- Polyester Mesh
- 2"Reflective Tape with contrasting trim
- Hook & Loop Closure
- Expandable 5-PT. Break-away
- Pockets: 1 Badge Holder, 1 Left Chest Flap, 2 Inner Lower
- 25 Washes
- Sizing: M/L-3X/4X













- Polyester Mesh
- 2" Reflective w/contrasting trim
- Quick release zipper closure
- 5-PT. Break-away
- X-Back is CSA Z96-15 Compliant
- Pockets: 1 Left Chest, 1 Inner Lower
- 25 Washes
- Sizing: S-5X





LUX-SC2TZ

- Polyester Mesh
- 2" 3M™ Scotchlite™ Reflective Material with contrasting trim
- Zipper Closure
- Expandable
- Pockets: 1 Outer Left, 2 Inner Lower
- 25 Washes
- Sizing: M/L-3X/4X













3M Scotchlite



LUX-SSG2TZ

- Polyester Tricot
- 2" 3M™ Scotchlite™ Reflective Material with contrasting trim
- Zipper Closure
- Expandable
- Pockets: 1 Outer Lower w/Pen, 1 Left Inner Chest
- 25 Washes
- Sizing: S-5X











3M Scotchlite

HIGH-VISIBILITY SELF-EXTINGUISHING



Self-Extinguishing vests are made from treated Polyester to self-extinguish **as defined by ASTM D6413**. This type of garment should never be used where an arc flash or flash fire hazard is present. Typical applications are asphalt paving, steel erection, bridge building and other applications involving Flame Resistant hazards that result from errant sparks rather than open circuit electricity or a potentially explosive atmosphere.







TSE-ISZ

- Polyester Tricot treated to self extinguish
- 2" Flame Resistant Reflective Tape
- Quick Release Zipper
- ASTM D6413 Compliant after 25 washes
- Pockets: 1 Left Chest, 1 Inner Lower
- 25 Washes
- Sizing: S-5X

















TSE-IMZ

- Polyester Mesh treated to self extinguish
- 2" Flame Resistant Reflective Tape
- Quick Release Zipper
- ASTM D6413 Compliant after 25 washes
- Pockets: 1 Left Chest, 1 Inner Lower
- 25 Washes
- Sizing: S-5X















TSE-IMZ32T

- Polyester Mesh treated to self extinguish
- 2" Flame Resistant Reflective Tape with contrasting trim
- Quick Release Zipper
- 1 Mic Tab
- ASTM D6413 Compliant after 25 washes
- Pockets: 1 Outer Flap Left Chest,1 Inner Lower Pen/Flashlight
- 25 Washes
- Sizing: S-5X





















TSE-IM2TZ

- Polyester Mesh treated to self extinguish
- 2" Flame Resistant Reflective Tape with contrasting trim
- Quick Release Zipper
- ASTM D6413 Compliant after 25 washes
- Pockets: 1 Left Chest Pocket & 1 Inner Lower
- 25 Washes
- Sizing: S-5X


















EVERSHIELD - DOR

DOR - Durable Omni Repellent - Polymer coating enhances fabric durability by repelling water, oil, dirt and stains. Developed for & used by the United States Military.



LUX-DPSP-DOR (Police) LUX-DPSS-DOR (Sheriff) LUX-DPSSE-DOR (Security)

LUX-DPSF-DOR (Fire) LUX-DPS-DOR (Plain)



- 2" Reflective Tape
- Quick Release Zipper
- Adjustable Waist











- 2 Mic Tabs and Badge Holder
- 2 Pen Pockets
- 25 Washes
- Sizing: REG (M-XL), XL (2X-4X)

DOR FABRIC RESISTANT TO





LUX-PSS-DOR (Sheriff) LUX-PSSE-DOR(Security) LUX-PSF-DOR (Fire) LUX-PS-DOR (Plain)



- Polvester Mesh
- 2" Reflective Tape
- Quick Release Zipper
- Adjustable Waist

- 2 Mic Tabs
- 25 Washes
- Sizing: REG (M-XL), XL (2X-4X)









CLASSIC PUBLIC SAFETY VESTS



LUX-PSP

- Polyester Tricot
- Pockets: 1 Badge • 2" 3M™ Scotchlite™ Reflective Holder, 1 Left Chest
- Hook & Loop Closure • 2 Mic Tabs
- 25 Washes • Sizing: M/L-3X/4X

3M Scotchlite



LUX-PSF

- Polyester Tricot
- 2" 3M™ Scotchlite™ Reflective Holder, 1 Left Chest
- Pockets: 1 Badge
- Hook & Loop Closure
- 2 Mic Tabs
- 25 Washes • Sizing: M/L-3X/4X
- 3M Scotchlite



HIGH-VISIBILITY CLASS 3 VESTS

ANSI/ISEA 107-2015 TYPE R CLASS 3 vests as classified by the American National Standard for High Visibility Safety Apparel and Accessories. CLASS 3 vests are reserved for those working in the most dangerous environments where visibility is the highest priority. TYPE R is a Roadway classification for any occupational workers who are exposed to roadways where traffic is traveling in excess of 50 mph. Also applies to Emergency Personnel or those working in extreme conditions where visibility is at a minumum.



LUX-HDS2T3

- Polyester Solid Front & Mesh Back with 300 Denier Oxford Pockets for Durability
- 2" Reflective Tape with contrasting trim
- Reflective Binding on Sleeves for Added Visibility
- Durable Webbing around Neck and Hem
- 5 Grommets Tethering, Dirt & Rain Removal, Tool Keepers & Lanyards
- 2 Mic Tabs
- Zipper Closure
- 8 Pockets (includes 4 pen/tool pockets)
- 1 Expandable Radio Flap Pocket
- 1 Split Multi Pen/Tool Pocket
- 3 Lower Front Pockets (2 flap / 1 open)
- 2 Lower Inside Pockets (load bearing & tablet)
- 1 Map Pocket with Zipper Access
- 25 Washes
- Sizing: S-5X















CLASS 3 VESTS





LUX-GCB32T

- Polyester Mesh
- 2" Reflective Tape with contrasting trim
- 5-PT. Break-away
- Hook & Loop Closure
- Pockets: 1 Inner Lower
- 25 Washes
- Sizing: S-6X























HIGH-VISIBILITY NON-ANSI VESTS



LUX-XTRNSM

- Polyester Mesh Back, Solid Woven Twill Front
- 3/4" White Gloss Tape with contrasting trim
- Zipper Closure
- Inner Pockets: 2 Lower
- Outer Pockets: 2 Lower, 4 Pen and 1 Divided
- 25 Washes
- Sizing: S-5X















• 25 Washes

• Sizing: S-5X







• Outer Pockets: 2 Lower, 4 Pen and 1 Divided













ACCESSORIES









CLASS E PANTS









YOUR GUIDE TO COOL

MiraCool® has been synonymous with the best of evaporative cooling for 25 years – whether it is traditional polymer crystal, PVA or Hyperkewl™ Technologies – lightweight super-absorbent materials. Our Tuff & Dry® products offer thermoregulation products that work through UPF sun protection, wicking and evaporative cooling - with our Coolcore® fabric.

MIRACOOL®

TUFF & DRY®

EVAPORATIVE COOLING



POLYMER TECHNOLOGY



COOLING VESTS



PVA TECHNOLOGY

PERSPIRATION MANAGEMENT



WICKING & COOLING TECHNOLOGY

MIRACOOL

TECHNOLOGY

- 25 years of proven cooling
- Crystal polymers plump with water
- Activates in 10-15 minutes
- Designed for quality, not slime
- Triple washed to avoid bleeding

MIRACOOL

ADVANCED FABRIC

TECHNOLOGY

- Made from Hyperkewl[™] fabric that absorbs and slowly releases water
- Soak in water for 1-3 minutes to activate Feels drier to touch
- Reusable and easy to recharge

HYPERKEWL PLUS

MIRACOOL

TECHNOLOGY

- Super absorbent, durable, lightweight material
- Honeycomb texture on one side perfect for wiping down
- Designed for 100% evaporative power (no fabric-cover-up)
- Anti-mold & UPF 50+
- Self activating pouch

TUFF & DRY® **WICKING AND**



- Cooling effect lasts for hours maintaining a constant temperature of 65° Fahrenheit for consistent cooling
- Cooling packs made from non-toxic materials
- Adjustable fit at shoulders and torso for cooling your core
- Available in regular or flame resistant
- To activate place cooling packs in freezer for an hour or soak in ice water for 20 minutes



MIRACOOL® BANDANAS



940-FR (Flame Resistant)

- Cotton
- Activates in 10-15 Minutes
- Also Available in assorted 12 and 24 packs as well as 24 and 100 Bulk Packs (01, BDN, CRD)





CAMO & SKULL STYLES AVAILABLE JUNE 2019



938

- Long lasting cooling effects for those who work in road & building construction, landscaping & heavy manufacturing
- Activates by water in 1 minute
- Wear multiple ways as a headband or around the neck
- Lower profile fit under a hard hat
- · Logo ready





*CAMO & SKULL STYLES AVAILABLE JUNE 2019

WICKING & COOLING GAITER



ENGINEERED COOLING FOR...

NECK HEAD SKULL



















HARD HAT COOLING SHADES & PADS

We now offer our Hard Hat Cooling shades in two different cooling technologies. Our tried and true Miracool® Polymer Crystal technology and our brand new Hyperkewl Plus technology which uses unique chemistry to achieve rapid absorption, stable water storage and controlled evaporation.



HPK-968

- Attaches to suspension with Hook and Loop Closure
 HyperKewl™ fabric provides a uniform cooling throughout the garment
- Cooling Duration for 5 to 10 hours
- Re-usable heat stress solution that is easy to activate
- Individual or Bulk 24 Pack (HPK-968B)





HPK-969

- Attaches to suspension with Hook and Loop Closure
- Attached shade to protect your head and neck from the sun
- HyperKewl™ fabric provides a uniform cooling throughout the garment
- Cooling Duration for 5 to 10 hours
- Re-usable heat stress solution that is easy to activate



HYPERKEWL PLUS





HARD HAT TERRY TOPPERS®






RELIABLE **REVERSIBLE SWEAT STOPPERS** • The human body's sweat glands can pour out over a quart of sweat each hour, that is 2 gallons in an eight-hour day!


SWEATBANDS














HARD HAT SHADES









TSE-7009 (Yellow Only)
• Self Extinguishing
• ASTM D6413 Compliant after 25 washes

EVAPORATIVE COOLING HATS & CAPS

We now offer our Cooling Ranger Hats in two different cooling technologies. Our tried and true Miracool® Polymer Crystal technology and our brand new Hyperkewl Plus technology which uses unique chemistry to achieve rapid absorption, stable water storage and controlled evaporation.













SHADE HATS & BALL CAPS













TUFF NOUGIES® WELDERS CAPS



TUFF NOUGIES® **ALL FEATURE:** • 100% Cotton • Machine Washable • Can be worn alone or underneath hard hat or welding helmet











COOLING VEST TECHNOLOGIES



ADVANCED FABRIC POWERED BY HYPERKEWL™ PLUS

- 1-3 Minute activation time
- Embedded in fabric for lightweight cooling option.
- Soak in water to activate
- Reusable and easy to recharge





HYPERKFWI™PLUS



WHAT IS

HYPERKEWL[™]PLUS

HyperKewl[™] fabric utilizes a unique chemistry to achieve rapid absorption, stable water storage and controlled evaporation - creating a cooling effect that can cool the user up to 10-15F below the ambient temperature, depending on airflow.





2) PHASE CHANGE COOLING VESTS

- Cooling effect lasts for hours maintaining a constant temperature of 65° Fahrenheit for consistent cooling
- Cooling packs made from non-toxic materials
- Adjustable fit at shoulders and torso for cooling your core
- Available in regular or flame resistant
- To activate place cooling packs in freezer for an hour or soak in ice water for 20 minutes



PC-VVFR-NB (Vest with Cooling Pack) PC-VST-VVFR (Vest Only)

- 6 oz Flame Resistant Treated Cotton
- Meets ASTM F1506
- NFPA 70E / CAT = 1
- Arc Rating 7.2 cal/cm²

PC-VV-NN (Non-FR with Cooling Pack) PC-VST-VVNN (Non-FR - Vest Only)

- Weighs 6.5 lbs
- Adjustable Mid Section & Shoulders









PC1 (Vest with Cooling Packs) PCV1 (Vest Only)

- 6 oz Flame Resistant Treated Cotton
- Weighs 3.5 lbs
- Adjustable Hook & Loop
- 3M[™] Thinsulate[™] Insulation
- Gloss Tape
- Meets ASTM F1506
- NFPA 70E / CAT = 1
- Arc Rating 7.2 cal/cm²











PC-SL (Vest with Cooling Packs)

- Fitted vest with 4 slim packs
- Stays cool for up to 3 hours
- Extended length with stretch side panels
- Adjustable side buckle and zipper closure
- Sizing: M/L-2X/3X







COOLING PACKS







BALACLAVAS

Our new and improved balaclavas for 2019 that you can wear 3 ways with hinged design and manages moisture in cold conditions. It is made of fleece that stretches and gives for needs of any worker who is active.







BALACLAVAS



BAL-300

- 300gm Fleece
- Wind and Water Resistant to protect you against
- 3 layer breathable mesh for moisture management
- Contrasting binding color for easy visibility









BAL-380

- 380gm Fleece designed to withstand extreme cold
- Wind resistant face shield for face protection
- Water resistant protection
- Elastic bungee cord with storage pocket for proper fitting









1070

- 350gm Heavyweight Polyester Plush Fleece
- Drawstring for snug fit
- Adjustable Design















OCEX-REG (BALACLAVA) OCC-REG (FACE MASK)

- Polyester Breathable Anti-Pilling Fleece
- Soft Medical Grade Anti-microbial Polyurethane Ventilator











WINTER BEANIES

















WINTER LINERS

FLEECE LINED COTTON TWILL



2-WAY PREMIUM SHOULDER LENGTH

- Zip-on and off bottom shell to wear two-ways
- Cotton Twill top with fleece lining
- Spun Polyester bottom with double button neck closure
- Insulated ear barrier DuPontTM Tyvek® lined warming pockets

LZ620

2 LAYERS



















HEATPAX

NEW NAME. NEW LOOK. BETTER PERFORMANCE.



HAND

1100-10R 5-PACK **1100-80D** 40-PACK DISPLAY



TOE

1106-10TW 5-PACK **1106-40D** 40-PACK DISPLAY



BODY

1101-10B 5-PACK **1101-80B** 40-PACK DISPLAY



FOOT

1103-10FF 5-PACK **1103-60FF** 30-PACK DISPLAY

A WHOLE NEW FAMILY OF PRODUCTS WITH PROVEN PERFORMANCE

A PAX A DAY, KEEPS THE COLD AWAY!



HAND WARMERS

- Air Activated, Instant warmth
- 30% warmer than leading brands after 10 hours





TOE WARMERS

- Air Activated, Instant warmth
- Adhesive backing to hold in place
- 25% warmer in the first 2 hours than leading brands





FOOT WARMERS

- Air Activated, Instant warmth
- 25% warmer in the first 2 hours than leading brands






BODY WARMERS

- Air Activated, Instant warmth
- 10% warmer after 4 hours than leading brands





GEAR

D30°

ANTI-VIBE

TUSTIME TO CEAR UP

OccuNomix has been engineering ergonomic work gear for over 35 years – starting with supports, hand protection, head protection as well as gear bags. At every step of the way, we gained a reputation for exceeding expectations by using the latest technologies available. Looking through our work gear today, you will find some of the most innovative materials ever applied to work gear – from inherent cooling fabrics and infrared textiles to high performance impact resistant materials. No one engineers work gear like OccuNomix!

COOLING PERFORMANCE GLOVES

• Cooling Tech on top of hand

Introducing the first work gloves to keep hands cool. Powered by Coolcore®, these are the only gloves with a patented and chemical free cooling technology, that offers independent lab proven, wicking, drying, and cooling. These gloves help hands stay dryer, longer, which means increased performance and safety.





- Padded, One-piece Synthetic Leather Palm Pull Tab for Ultimate Fit
- Terry Cloth Thumb
- Sizing: S-2X




- OK-CCG300 (Black) OK-CCG350 (Hi-Viz)
- Reinforced Anti-Slip Synthetic Leather Palm Reinforced Saddle
- Hook & Loop Closure
- Sizing: S-2X

- Cooling Tech on top of hand









UPF 50+

RATED

- Reinforced Anti-Slip Syntheic Leather Durable Palm powered by D3O®
 - Sizing: S-2X
- Reinforced Saddle
- Hook & Loop Closure









REGULATED

EVAPORATION

WINTER GLOVES





WHAT IS CELLIANT® INFRARED FLEECE?

Celliant® is a cutting-edge infrared yarn technology. It recycles and converts escaping body heat into something that gives the body a measurable boost — infrared energy. It doesn't just trap the heat, it returns it back into the skin. The benefits are temperature regulation, reduced hand fatigue, and of course, warmer hands. Hands stay 5° Fahrenheit Warmer!







PADDED PALM GLOVES







- Premium Full Grain Padded Leather Palm
- Cotton Knit
- Mesh Back
- Hook & Loop ClosureSizing: S-2XL










PERFORMANCE

Breathable Soft Terry Top of Hand

Hook & Loop Closure
 Sizing: S-2XL





ANTI-VIBRATION



OK-990D

- Premium Leather
- Suede Palm for Increased Durability
- D3O® foam padding in palm
- Pre-Curved with Stretch Top of Hand
- Hook & Loop Closure
- Sizing: S-2XL



OK-990X

- Premium Leather
- Suede Palm for Increased Durability Hook & Loop Closure
- Sizing: S-2XL
- Pre-Curved with Stretch Top of Hand











ANTI-VIBRATION

Anti-vibration give gloves protection for particular tasks such as operating jackhammers, chainsaws, grinders, and other heavy machinery. Construction workers shouldn't use these traditional tools bare handed. This can cause hand-arm vibration syndrome (HAVS). HAVS can occur in your fingers, hands, and even arms as a result of continuous exposure to heavy machinery vibration. In the palm of these gloves, is extra padding using various technologies to protect you, the hard worker! Invest in a pair today and keep your nerve in these shaky situations!

ALSO SEE OK-CCG400 & OK-CCG450 ANTI VIBE GLOVES ON PG 68

CUT RESISTANT

Spiral composite technology - The scientific build and enhancement of engineered yarns protects your hands from cuts and abrasion, while giving you ample dexterity and top-of-class range of motion. Look no further, we offer cut protection solutions at every level you need. These gloves are "A Cut AboveTM".











WHAT IS THE EN 388 STANDARD?

The EN 388 is a European standard which is designed to assess the performance of a fabric or layers of fabric for their ability to resist heavy rubbing, cutting by a blade or sharp object, tearing, and puncture by a pointed object. The test procedure includes a separate tests for each of these properties and a performance level is awarded according to each test result.

- Health & Safety International Magazine

D30® KNEE PROTECTION

5X MORE PROTECTION THAN REGULAR FOAM KNEE PADS

We've partnered with D3O, the leading provider of impact resistant and cushioning foam, to create three knee pads that provide more comfort and durability. Strategically placed D3O foam under the cap absorbs impact from the ground while improving cushioning and all day comfort. Knee injuries are expensive. Our D3O knee pads offer great value.

HOW D30[®] WORKS




Soft & Flexible Material




Upon impact, molecules absorb and dissipate impact energy



Returns to flexible state after impact







KNEE PROTECTION

A CRADLE FOR YOUR KNEES.

Knees are one of the most important joints in the human body. So why are you beating them up? According to the American Journal of Epidemiology, investing in knee pads decreases the risk of knee injury by 56%. That's why we made a line of affordable knee pad solutions, with Cradle Technology™, contoured to fit the knee.












REDBACK® CUSHIONING

NOT GEL OR FOAM THE 3RD DIMENSION

Redbacks® award winning knee pads have been scientifically proven to outperform foam and gel knee pads. This patented leafspring technology has phenomenal compression with 100% return to form. It is curved to fit around the knee to eliminate point pressure and distribute weight evenly! You've never seen anything like this!

PATENTED LEAFSPRING TECHNOLOGY





SOFT CAP PROTECTION










BACK SUPPORTS

Back injuries account for 1 in every 5 workplace injuries - making it worth investing in proper lifting techniques and ergonomic engineering to combat the risks.











ERGONOMIC SUPPORTS









OCCUMITTS®


Snug, lightweight and ergonomic Nylon/Spandex design, Four-way stretch for proper wrist position and soothing heat to help relieve repetitive strain injury and carpal tunnel syndrome.







SCRATCH GUARDS









STORE YOUR GEAR

OccuNomix gear bags are made with 600 Denier PVC Coated Polyester fabric to be rugged, roomy and reliable



HEAD PROTECTION

THREE HARD HAT STYLES TO CHOOSE

Pick what is right for you! All Hard Hats meet ANSI Z89.1 Type 1, Class E & G. Each come with a 6-point deluxe Nylon suspension and Front Cotton Terry sweatband. Hard hat shell Made in USA.









SQUEEZE LOCK

ADJUSTABLE TO SIZES 6 1/2 - 7 3/4

REGULAR BRIM VCB101 COWBOY



RATCHET

ADJUSTABLE TO SIZES 6 1/2 - 77/8

V201 REGULAR & FULL BRIM

VCB201 COWBOY



	Har	d Hat Usa	age & Star	Hard Hat Usage & Standards Chart											
			SPECIA	STANDARDS											
DESCRIPTION	ITEM #	Construction	Electrical	Telecom	Manufacturing	ANSI Z89.1	Туре	Class							
Regular Brim	V100, V200	•	•		•	•	I	E&G							
Full Brim	VF200	•	•	•	•	•	1	E&G							
Cowboy Style	VCB100, VCB200	•	•		•	•	1	E&G							

ANSI Z89.1: Standard for performance and testing requirements - impact, penetration and electrical insulation

Type I: Meets stringent vertical impact and penetration requirements

Class E (electrical): Tested to withstand 20,000 volts Class G (general): Helmets are tested at 2,200 volts

BUMPS. SCRAPES. NO PROBLEM.

Our traditional and baseball bump caps are intended to protect you from bumps and scrapes on the job. Our Polyethylene material offers both comfort and superior protection.





ACCESSORIES









BLACK BOTTOM VEST



DUAL CERTIFIED FLAME RESISTANT

Don't miss the symbol for dual certified items.



FR-TCR1200

- 6 oz Flame Resistant Treated Cotton
- Flame Resistant Thread
- Flame Resistant for the life of the garment
- Classified by UL to NFPA 2112-2018
- Sizing: M-5X





FR-TM2212 (Long Sleeve) FR-TM2112 (Short Sleeve)

- 6.25 oz Modacrylic/Rayon/Aramid
- 2" Flame Resistant Reflective Tape
- Flame Resistant Thread
- Classified by UL to NFPA 2112-2018
- Pockets: 1 Chest Pocket
- 25 Washes
- Sizing: M-5X













FR-TM2243

- 6.25 oz Solid Modacrylic/Rayon/Aramid
- 5.5 oz Navy Flame Resistant Cotton hides dirt
- 2" OCX™ Patentented Segmented Reflective Tape
- Flame Resistant Thread
- Classified by UL to NFPA 2112-2018
- Pockets: 1 Chest Pocket
- 25 Washes
- Sizing: M-5X











LUX-SWTZFR

- 14.25 oz Modacrylic/Cotton Fleece
- Zipper Closure with storm flap
- High Neck Extended Hoodie for extra warmth
- Draw Cord Hood
- Flame Resistant Thread
- Flame Resistant for the life of the garment
- Classified by UL to NFPA 2112-2018
- Pockets: 2 Lower Front
- Sizing: M-5X













LUX-SWTFR

- 14.25 oz Modacrylic/Cotton Fleece
- Draw Cord Hood
- Flame Resistant Thread
- Flame Resistant for the life of the garment
- Classified by UL to NFPA 2112-2018
- Pockets: 1 Pouch
- Sizing: M-5X









FR-SM2313 (Zipper - 2 Pockets) FR-SM2213 (Pullover - 1 Pocket)

- 14.25 oz Modacrylic/Cotton/Polyester Fleece
- 2" Flame Resistant Reflective Tape
 FR-SM2313 is a high neck extended zipper hoodie with storm flap
- Draw Cord Hood
- Flame Resistant Thread
- Classified by UL to NFPA 2112-2018
- Pockets: 2 Lower Front (FR2313),1 Pouch (FR-SM2213)
- 25 Washes
- Sizing: M-5X











ASTM F1506 AND NFPA 2112-2018 COMPLIANT

FR-VM1112 • 6.5 oz Solid Tencel/Modacrylic/Aramid • 2" Flame Resistant Reflective Tape • Flame Resistant Hook & Loop Closure • Flame Resistant Thread • Flame Resistant Binding Classified by UL to NFPA 2112-2018 • Pockets: 1 Outer Lower Right • 25 Washes • Sizing: S-5X

Westex DH



R 2 1 S 8.9

FR-VM1312

- 6.5 oz Solid Tencel/Modacrylic/Aramid
- 2" Flame Resistant Reflective Tape
- 5 Pt. Break-Away at shoulders, sides & front
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- Classified by UL to NFPA 2112-2018
- 25 Washes
- Sizing: S-5X













FR-VM1122

- 6.5 oz Solid Tencel/Modacrylic/Aramid
- 2" Flame Resistant Reflective Tape
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- Classified by UL to NFPA 2112-2018
- Pockets: 1 Outer Lower Right
- 25 Washes
- Sizing: S-5X











OCX™ Flame Resistant garments are certified by UL to NFPA 2112-2018. That means UL has verified each garment component, the factory and the garment as a whole all comply with the safety standard for flash fire. Look for the label inside the garment with the UL symbol



FR RAINWEAR



We offer a CAT 2 FR rainwear jacket and bib pants, with the highest level of comfort. Arc & flash fire protection ASTM F1891 and F2733 compliant.



- 10.25 oz PVC Coated Modacrylic/Cotton Jersey
- 3M[™] Scotchlite[™] Reflective Material
- Waterproof with high frequency welded seams
- Storm flap covers non-sparking zipper and snap closure
- Raglan Sleeves
- Attached hood fits over regular brim hard hat
- Garment is logo'd with Arc Rating
- Modacrylic Mesh vented back with D-Ring access
- ASTM F1891(ARC FLASH) and F2733 Compliant (FLASH FIRE)
- Pockets: 2 flapped front
- Sizing: XL-6X

- 10.25 oz PVC Coated Modacrylic /Cotton Jersey
- 3M[™] Scotchlite[™] Reflective Material
- Waterproof with high frequency welded seams
- Snap Side Closure
- Garment is logo'd with Arc Rating
- ASTM F1891(ARC FLASH) & F2733 Compliant (FLASH FIRE)
- Pockets: 1 Pass through
- Sizing: M-6X

























COTTON RICH FR®

The first arc rated and ANSI compliant cotton vests on the market. Made of a Flame Resistant Cotton/Polyester Blend. OccuNomix FR Cotton Vests have a higher arc rating than Modacrylic and are also more economical.



FR-VCR1122

- 7 oz Flame Resistant Solid Cotton/Polyester
- 2" Flame Resistant Reflective Tape
- D-Ring Access Slot
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- NFPA 2112 Compliant Fabric
- Pockets: 1 Outer Lower Right
- 25 washes
- Sizing: S-5X











FR-VCR1312

- 7 oz Flame Resistant Solid Cotton/Polyester
- 2" Flame Resistant Reflective Tape
- 5 points break-away at shoulders, sides & front
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- NFPA 2112 Compliant Fabric
- 25 washes
- Sizing: M-5X











- Flame Resistant Thread
- Flame Resistant Binding
- NFPA 2112 Compliant Fabric
- Pockets: 1 Outer Lower Right
- 25 washes
- Sizing: M-5X











FR-VCR1213

- 7 oz Flame Resistant Solid Cotton/Polyester
- 2" Flame Resistant Reflective Tape
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- NFPA 2112 Compliant Fabric
- Pockets: 1 Outer Lower Right
- 25 washes
- Sizing: M-5X















- Flame Resistant Binding
- Sizing: S/M-4X/5X





- 6 oz Flame Resistant Solid Treated Cotton
- 2" Reflective Tape
- Hook & Loop Closure
- Nomex® Thread
- Flame Resistant Binding
- 50 washes
- Sizing: S/M-4X/5X







ARC FLASH GARMENTS



FR-VM2213

- 5.8 oz Mesh Modacrylic/Aramid
 2" 3M™ Scotchlite™ Reflective Material -Industrial Wash Flame Resistant Fabric
- D-Ring Access Slot
- Flame Resistant Hook & Loop Closure
- Flame Resistant thread
- Flame Resistant binding
- Pockets: 1 Outer Lower Right
- 50 Home / 30 Industrial Washes
- Sizing: M-5X













- 5.8 oz Mesh Modacrylic/Aramid
 2" 3M™ Scotchlite™ Reflective Material -Industrial Wash Flame Resistant Fabric
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- Pockets: 1 Outer Lower Right
- 50 Home / 30 Industrial Washes
- Sizing: M-5X













LUX-SSGC/FR

- 5.8 oz Mesh Modacrylic/Aramid
 2" 3M™ Scotchlite™ Reflective Material -Industrial Wash Flame Resistant Fabric
- Flame Resistant Hook & Loop Closure
- Flame Resistant Thread
- Flame Resistant Binding
- Pockets: 1 Outer Lower Right50 Home / 30 Industrial Washes
- Sizing: M-5X











3M Scotchlite



LUX-SSBRPFR

- 6.2 oz Solid Modacrylic/Aramid
- 2" 3M™ Scotchlite™ Reflective Material -
- Industrial Wash Flame Resistant Fabric • Flame Resistant Hook & Loop Closure
- 5 Pt. Break-Away: Break at shoulders, sides & front
- Flame Resistant thread
- Flame Resistant binding
- 50 Home / 30 Industrial Washes
- Sizing: M-5X











LUX-SSFG/FR

- 6.2 oz Solid Modacrylic/Aramid
- 2" 3M™ Scotchlite™ Reflective Material -Industrial Wash Flame Resistant Fabric
- Flame Resistant Hook & Loop Closure
- Flame Resistant thread
- Flame Resistant binding
- Pockets: 1 Outer Lower Right
- 50 Home / 30 Industrial Washes
- Sizing: S-5X















LUX-LST2/FR • 7.75 oz Modacrylic/Cotton/Poly



LUX-TP2/FR

- 7.75 oz Modacrylic/Cotton/Poly
- 2" Reflective Tape
- Nomex® thread
- Pockets: 1 Chest Pocket
- 25 Washes
- Sizing: M-5X











LUX-LSTFR

- 6.5 oz Midnight Modacrylic Cotton Interlock
- Flame Resistant Thread
- Flame Resistant for the life of the garment
- Sizing: M-3X







LUX-HRC2FR

Westex DH

• 2" Reflective Tape

• Pockets: 1 Chest Pocket

R2 1 SATPY CO

• Nomex® thread

• 25 Washes

• Sizing: M-5X

- Tercel®/Modacrylic/Aramid Blend
- NFPA 2112 Compliant Fabric
- 2" 3M™ Scotchlite™ Reflective Tape
- Flame Resistant Hook & Loop Closure
- Nomex® thread
- Flame Resistant binding
- Pockets: 1 Outer Lower Right
- 25 Washes
- Sizing: M-5X













LUX-SWT3FR

- 10 oz Modacrylic/Cotton/Poly Fleece
- 2" 3M™ Scotchlite™ Reflective Material
- Draw Cord Hood
- Flame Resistant thread
- 25 Washes
- Pockets: 1 Pouch
- 25 Washes
- Sizing: M-5X









LUX-SWT3ZFR

- 10 oz Modacrylic/Cotton/Poly Fleece
 2" 3M™ Scotchlite™ Reflective Material -Industrial Wash Flame Resistant Fabric
- Zipper Closure with storm flap
- High Neck Extended Hoodie for extra warmth
- Draw Cord Hood
- Flame Resistant thread
- Pockets: 2 Lower Front
- 50 Home/30 Industrial washes
- Sizing: M-5X















COLD STRESS MEETS ASTM F1506 NFPA 70E



2-WAY PREMIUM SHOULDER LENGTH

Zip-on and off bottom shell to wear two-ways. 6 oz FR Cotton Twill upper shell. 6.5 OZ. Modacrylic /Cotton Jersey upper lining. 18 OZ. Modacrylic/Cotton/Spandex soft rib knit with double button neck closure lower. Insulated ear barrier **DuPontTM Tyvek®** lined warming pockets and metal Nomex® Zipper.

LZ620-FR

2 LAYERS



SYMBOL LEGEND





Warming Pocket lined with: $DuPont^{TM}\ Tyvek^{@}$







LENGTH GUIDE

SHOULDER 14-16"

MID 11-13" REGULAR 9-10.5"



ALL WINTER LINERS **COME RETAIL READY**



TUBE LINERS & GAITER







91 | ENGINEERED TOUGH®

FR BALACLAVAS





FR HATS





FR HEAT STRESS

PHASE CHANGE COOLING VESTS

- Cooling effect lasts for hours maintaining a constant temperature of 65° Fahrenheit for consistent cooling
- Cooling packs made from non-toxic materials
- Adjustable fit at shoulders and torso for cooling your core
- Available in regular or flame resistant
- To activate place cooling packs in freezer for an hour or soak in ice water for 20 minutes

20 MINUTES IN ICE WATER, 1 HOUR IN FREEZER



PC-VVFR-NB (Vest with Cooling Pack) PC-VST-VVFR (Vest Only)

- 6 oz Flame Resistant Treated Cotton
- Weighs 6.5 lbs
- Adjustable Mid Section & Shoulders









PC1 (Vest with Cooling Pack) PCV1 (Vest Only)

- 6 oz Flame Resistant Treated Cotton
- Weighs 3.5 lbs
- Adjustable Hook & Loop
 3M™ Thinsulate™ Insulation
- Gloss Tape







Thinsulate Platinum

COOLING PACKS



PC-CPK (SET OF 2) USE WITH: PC-VV, PC-VVFR



PCP1 (SET OF 2) USE WITH PC1, PCV1

93 | ENGINEERED TOUGH®

TN5-INFR • 6 oz FR Treated Cotton • Tie for secure fit •Nomex® Thread LO TATPY 57.2







MAKE AN IMPRESSION


Why decoration? Decorated gear helps your team be even safer on the job site. Quickly identify personnel in crucial moments as well as maintain job site security by adding a logo to your gear.

OccuNomix is able to decorate a wide selection of the products we offer. Look for the Logo Ready icon in the product description to see if it can be imprinted. Questions about a particular product? Just call our friendly Logo Customer Experience team and we'll help you out.

Once you select a product, all we need is the logo. Services offered include artwork layout and preparation through individual bagging after decoration. We are a one stop shop of services customizable to make your life easier. Our team will guide you through each step of the process and get your team what they need to be safe on the job site.

HELPFUL INFORMATION:

Turn-around time is 7-10 business days upon receipt of approved proof and PO. Preferred file types: .ai, .eps, .svg, .cdr (.tif, .jpg also available at 300 dpi at print size)



SEND YOUR ORDERS AND/OR INQUIRIES TO:

631-791-1944 4 631-474-0649



NEED VENDING READY PRODUCT?

WE OFFER VEND PACKAGING!

We have the capability and expertise in-house to package your favourite OccuNomix products for vending machines. Let us work with you on a shrink-wrap vending program that gives your customers more quality selections right where they work! Since we already package over 100 products for vending today, OccuNomix vending-ready packaging can save you money!

- High Visibility Vests
- High Visibility T-Shirts
- Gloves
- Heat Stress
- Cold Stress
- Winter & Shade Hats
- Ergonomic Gear




CUSTOM DESIGNED APPAREL AND GEAR

FULL SERVICE

Need something different for your company? We have the expertise to design and develop custom designed apparel and gear.

PROCESS SIMPLIFIED

Our in-house design team can provide a drawing to your specifications



OTHER FEATURES

Features, Pockets & Closures





Unique Tape Configuration





Logo Services







CHEST SIZE

WAIST

MEASURE YOUR BODY FOR A PROPER FIT

Chest Size: Taken at the fullest point of your chest. Measure just under your arms and across shoulder blades holding the tape firm and level.

Waist: Measure around your natural waistline, keeping the tape snug, but comfortably loose.

Inseam: Measure from the base of your crotch to the top of your shoe. For a more accurate measurement have someone take this measurement. You can also measure a similar pant that fits you well. Lay the pant flat with the front and back creased smooth. Measure along the inseam from the crotch to the bottom of the leg hem.

VESTS,	T-SHII	RTS &	SWEA	TSHIR	TS			
	F	REG (34-42	")					
	S/M (3	2-38")	L/XL (4	L/XL (40-46") 2/3X (4			4/5X (5	56-62")
SIZE	S	М	L	XL	2X	3X	4X	5X
CHEST SIZE	32-34"	36-38"	40-42"	44-46"	48-50"	52-54"	56-58"	60-62"
	PLEASE NOTE	: LUX-ATRANS	LUX-ATRNSM	RUN LARGER	ON ALL SIZES			

EXPAND	EXPANDABLE VESTS & PUBLIC SAFETY VESTS									
	R	EG (36-48	")							
		M/L (4	0-48")	XL/2X(48-56") 3/4X			56-64")			
SIZE	S	М	L	XL	2X	3X	4X	5X		
CHEST SIZE	36-38"	40-42"	44-46"	48-50"	52-54"	56-58"	60-62"	64-66"		

JACKETS & RAIN JACKETS (EXCEPT LUX-TRJKT - SEE WEB)										
SIZE	S	М	L	XL	2X	3X	4X	5X		
CHEST SIZE	34-36"	38-40"	42-44"	46-48"	50-52"	54-56"	58-60"	62-64"		

PANTS,	PANTS, BIB PANTS & COVERALLS (SEE WEB FOR INSEAM)											
	S/M (3:	2-40") L/XL (40-48")			2							
SIZE	S	М	L	XL	2X	3X	4X	5X				
WAIST	32-34"	36-38"	40-42"	44-46"	48-50"	52-54"	56-58"	60-62"				

SP-BRP	SP-BRP (RAIN PANT)										
SIZE	М	L	XL	2X	3X	4X	5X				
WAIST	34-36"	38-40"	42-44"	44-46"	48-50"	52-54"	54-56"				

BACK SUPPORTS - 611 & 626											
	XS	S	М	L	XL	2X	3X				
FITS WAIST SIZE:	23-27"	28-32"	33-37"	38-42"	43-48"	49-53"	54-58"				

BACK SUPPORTS - OK-1500 & OK-SS-5											
	2X	3X									
FITS WAIST SIZE:	23-29"	28-34"	33-39"	39-46"	46-52"	52-58"					

BACK SUPPORTS - OK-2005, OK-2505, OK-10005 & OK-20005										
	S	М	L	XL	2X	3X				
FITS WAIST SIZE:	24-33"	29-38"	35-44"	42-52"	46-56"	54-61"				





PLEASE NOTE:


For exact measurements of a garment, please visit our website or contact us at: info@occunomix.com

Part #	Page	Part #	Page	Part #	Page	Part #	Page	Part #	Page
121	74	949	50	ECO-IMB2TX	38	LN630	63	LUX-LSETPBK	10
122	74	954	50	ECO-IM2TZ	34	LP690	64,91	LUX-LST2	11
125	74	962	54	ECO-IMZ	32	LS610	63	LUX-LST2BX	12
126	74	963	54	ECO-IMZX	32	LUX-250-JB	18	LUX-LST2/FR	90
127	74	968	51	ECO-IMZ32T	44	LUX-300	11	LUX-LSTFR	90
221-D	73	968B	51	ECO-IMZ3P2T	33	LUX-300L	11	LUX-LSPP2B	10
225-D	73	969	51	ECO-IS	32	LUX-300LP	11	LUX-LSPP3B	10
226-D	73	969-FR	51,94	ECO-ISZ	32	LUX-350-B2X	18	LUX-LSTP3BX	12
310	79	971	53	ECO-SIMZ32T	43	LUX-350-JB2	18	LUX-LTGCSBK	28
311	79	1070	61	ECO-TEM2T	46	LUX-350-JB	18	LUX-M6JKT	06
311L	79	1070FR	92	FR-SM2213	85	LUX-900	46	LUX-MBRB	62
400	79	1078	64	FR-SM2313	85	LUX-ATRANS	30	LUX-PS-DOR	37,42
422X	70	1079	92	FR-TCR1200	85	LUX-ATRNSM	30	LUX-PSP-DOR	42
425	71	1090	64	FR-TM2112	85	LUX-BCAP	46,55	LUX-PSS-DOR	42
426	71	1091	62	FR-TM2212	85	LUX-CSWT	8	LUX-PSSE-DOR	42
450	79	1093	64	FR-TM2243	85	LUX-CSWTX	8	LUX-PSF	42
451	79	1100-10R	65	FR-VCR1112	88	LUX-DPS-DOR	42	LUX-PSF-DOR	42
453	79	1100-80D	65	FR-VCR1122	88	LUX-DPSF-DOR	42	LUX-PSP	42
560	79	1101-10B	65	FR-VCR1213	88	LUX-DPSP-DOR	42	LUX-RFB	62
561	79	1101-80B	65	FR-VCR1312	88	LUX-DPSS-DOR	42	LUX-RSDJKT	16
562	79	1103-10FF	65	FR-VM1112	86	LUX-DPSSE-DOR	42	LUX-RNG	46,55
611	77	1103-60FF	65	FR-VM1122	86	LUX-ETJBJ	17	LUX-RNG-ST	46,55
626	77	1106-10TW	65	FR-VM1312	86	LUX-ETJBJR	17	LUX-SC2TB	38
870	52	1106-40D	65	FR-VM2142	84	LUX-EWRB	62	LUX-SC2TZ	38
870B100	52	BAL-2X2	60	FR-VM2213	89	LUX-GCB32T	44	LUX-SG	46
870B20	52	BAL-300	61	G470	70	LUX-GCBBK	35	LUX-SSBRP	36
880	52	BAL-380	61	G474	72	LUX-GCZTAB	31	LUX-SSBRPFR	89
898	53	ECO-ATRANS	29	HPK-902	57	LUX-HDS2T	26	LUX-SSBRPC	36
899	53	ECO-ATRNSM	29	HPK-962	54	LUX-HDS2T3	43	LUX-SSCLC2Z	34
903	57	ECO-ATRNSMX	30	HPK-963	54	LUX-HDSBK	27	LUX-SSCOOL2	34
904	57	ECO-G	32	HPK-968	51	LUX-HRC2FR	90	LUX-SSCOOLG	31
930	50	ECO-GC	32	HPK-969	51	LUX-HSCLC3Z	44	LUX-SSETP2	11
931	50	ECO-GC2T	34	KNPDRDLW20	75	LUX-HSCOOL3	44	LUX-SSETP2B	12
931-12DBL	50	ECO-GCB	36	LB600	63	LUX-HSFULLG	44	LUX-SSETP3	11
938	49	ECO-GCS	30	LF648	61	LUX-HSGCB	44	LUX-SSETP3B	12
940	49	ECO-GCZ	32	LF649	61	LUX-HZSWT	8	LUX-SSETPBK	10
940-12	49	ECO-GCZ3	44	LF650	64	LUX-HZSWTBX	8	LUX-SSFG/FR	89
940-24	49	ECO-GCZ32T	44	LK810	64	LUX-KCR	62	LUX-SSFGCFR	89
940-FR	49,94	ECO-IM	32	LK910FR	91	LUX-KCR-P	62	LUX-SSFS	30
940B100	49	ECO-IMB	36	LK910NFR	91	LUX-LSET2B	12	LUX-SSFULLG	31
940B-24	49	ECO-IMB2T	38	LM660	63	LUX-LSETP3B	12	LUX-SSFULLZ	31

SEE ALL OF OUR NEW PRODUCTS HIGHLIGHTED IN YELLOW

Part #	Page	Part #	Page	Part #	Page	Part #	Page	Part #	Page
LUX-SSG	31	LUX-TSSP2B	10	OK-CCG350	68	SBR	52	TSE-899	53
LUX-SSG/FR	89	LUX-WBIB	20	OK-CCG400	68	SBR25	52	TSE-7009	53
LUX-SSG2T	34	LUX-WCVL	20	OK-CCG450	68	SBR100	52	TSE-IM2TZ	40
LUX-SSG2TZ	38	LUX-XCON	45	OK-DDG200	70	SBX100	52	TSE-IMBZ	39
LUX-SSGC	31	LUX-XFR	88	OK-IG200	69	SF240	60	TSE-IMBZX	39
LUX-SSGC/FR	89	LUX-XGTM	45	OK-IG300	69	SFR320	92	TSE-IMZ	40
LUX-SSGCB	36	LUX-XLSPB	12	OK-KP-100LO	75	SH100	55	TSE-IMZ32T	40
LUX-SSGCS	30	LUX-XNTM	45	OK-KP-100SH	75	SH200	55	TSE-ISZ	40
LUX-SSGZ	31	LUX-XNTS	45	OK-KP-210	74	SH300	55	V100	81
LUX-SSGZC	31	LUX-XSBM	45	OK-KP-350	75	SH500	55	V101	81
LUX-SSPP2B	10	LUX-XSBML	45	OK-NCTS	79	SN530	63	V200	81
LUX-SSTP2BX	12	LUX-XSGFR	88	OK-NWGS	70	SP-BIB	19	V201	81
LUX-SWT3HZ	8	LUX-XSSPB	12	OK-SS-5	77	SP-BRJ	22	V350	82
LUX-SWT3FR	90	LUX-XTRANS	45	OK-UNIV	77	SP-BRP	22	V400	82
LUX-SWT3ZFR	90	LUX-XTRNSM	45	OK-W300	69	SP-CVL	19	V410	82
LUX-SWTFR	85	LUX-XTTM	45	OK-WGS	70	SP-KP	75	V450	82
LUX-SWTHZBK	8	LUX-XVIS	45	PC-CPK	58,93	SP-RSPARKA	14	V896	82
LUX-SWTL	7	LZ620	63	PC-SL	58	SP590	64,91	V897	82
LUX-SWTLH	7	LZ620-FR	64,91	PC-SLPK	58	SS260	60	VCB100	81
LUX-SWTLHZ	7	LZ621-FR	91	PC-VST-VVNN	58	SS550	63	VCB101	81
LUX-SWTZFR	85	OCC-REG	61	PC-VST-VVFR	58,93	SS550-FR	64,91	VCB200	81
LUX-TBIB/FR	87	OCEX-REG	61	PC-VV	58	SS551	63	VCB201	81
LUX-TBRB	62	OK-120	72	PC-VVFR	58,93	STLW20	75	VF200	81
LUX-TEM	46	OK-130	72	PC1	58,93	SX700	64,91	XX550	63
LUX-TENBIB	24	OK-140	72	PCP1	58,93	TD200	50	XX600	63
LUX-TENBR	46	OK-150	72	PCV1	58,93	TD201	50		
LUX-TENR	24	OK-200S	77	RB405	63	TD300	50		
LUX-TJBJ	17	OK-250S	77	RB420	63	TD400	50		
LUX-TJBJ-B	17	OK-980P	71	RF450	64	TD400-12DBL	50		
LUX-TJBJ2	17	OK-990D	71	RFR320	92	TD500	54		
LUX-TJCW	15	OK-990X	71	RG200	64	TD600	54		
LUX-TJFS	15	OK-1000S	77	RK800	64	TD700	54		
LUX-TJR	24	OK-1500	77	RK900FR	91	TD800	49		
LUX-TJR/FR	87	OK-3000	80	RK900NFR	91	TN1	56		
LUX-TJRE	24	OK-3025	80	RQ300	64	TN3	56		
LUX-TP2/FR	90	OK-3050	80	RQ301	64	TN5	56		
LUX-TRBIB	23	OK-5057009	53	SB	52	TN5-INFR	56,94		
LUX-TRJKT	23	OK-6565001	80	SB25	52	TN6	56		
LUX-TRPNT	23	OK-CCG200	68	SB100	52	TN8	56		
LUX-TLSP2B	10	OK-CCG250	68	SB505	63	TN8-12	56		
LUX-TLSP3B	10	OK-CCG300	68	SBD100	52	TNG-FR	64,91,94		

ARE YOU OCX TOUGH?



OccuNomix International LLC. All rights reserved.

OccuNomix, OK-1, Engineered Tough, OccuLux, OccuMitts, MiraCool, Terry Toppers, Tuff Nougies, PCCS, Hot Rods, Vulcan, Speed Collection, Seriously Cool, Seriously Warm, Thin and Thirsty, MIGWear, Mustang, X-Tend and Gulfport are registered trademarks of OccuNomix and protected in the U.S.

OccuNomix reserves the right to change product specifications and components herein the catalog without notice.

3M, Thinsulate and Scotchlite are trademarks of 3M, used under license in Canada

Nomex® Kevlar® and Teflon® are registered trademarks of E.I. du Pont de Nemours and Company.



www.SafetySmartGear.com

Call for Discount Ordering

1-877-999-4847